| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|--------|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|---------------------|---------|------------------|
| S7 | 542 | (header near (queue\$4 or buffer\$4 or stor\$4 or memory)) and (payload near (queue\$4 or buffer\$4 or stor\$4 or memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/31 10:22 |
| S8 | 546 | (header near (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) and (payload near (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/09 08:44 |
| S9 | 450 | S8 and packet | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/10/31 10:23 |
| S10 | 304 | S9 and @ad<="20031027" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/09 15:57 |
| S11 | 547 | (header near (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) and (payload near (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR · | OFF | 2007/11/05 16:39 |
| S12 | 451 | S11 and packet | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/03 15:39 |
| S13 | 304 | S12 and @ad<="20031027" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/14 11:12 |
| S14 | 132 | S13 and (request with data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/03 15:40 |
| S15 | 162955 | request\$4 near (data or packet or information) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/09 08:48 |

| S16 | 2698 | S15 and header and payload and queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/05 16:39 |
|-----|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|------|-----|------------------|
| S17 | 6566 | S15 and header and payload | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/05 16:39 |
| S18 | 158 | S17 and (header near (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) and (payload near (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/07 14:10 |
| S19 | 18 | "725"/\$.ccls. and (header near (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) and (payload near (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/07 10:21 |
| S20 | - 14 | S19 and @ad<="20031027" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/07 14:08 |
| S21 | 2895 | channel near adapter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/07 14:08 |
| S22 | 1959 | S21 and @ad<="20031027" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2007/11/07 14:09 |
| S23 | 1136 | (channel near adapter) with (queu\$4 or buffer\$4 or memor\$4 or fifo) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/07 14:11 |
| S24 | 733 | S23 and @ad<="20031027" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/07 14:19 |
| S25 | | (channel\$4 near adapt\$4) with (header near (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) with (payload near (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/07 14:28 |

| S26 | 4 | (channel near adapter) with (queu\$4 or buffer\$4 or memor\$4 or fifo) with header with payload | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/07 14:11 |
|-----|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|------|-----|------------------|
| S27 | 9 | S24 and (header adj (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) and (payload adj (queue\$4 or buffer\$4 or stor\$4 or memory or fifo)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/07 14:28 |
| S28 | 251 | (header near (queue\$4 or buffer\$4 or stor\$4 or memory)) and (payload near (queue\$4 or buffer\$4 or stor\$4 or memory)) and (packet with generat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/09 15:56 |
| S29 | 163 | S28 and @ad<="20031027" . | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/09 08:49 |
| S30 | 119735 | request\$4 adj (data or packet or information) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/09 08:48 |
| S31 | 59 | S29 and S30 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/09 10:06 |
| S32 | 2 | ("6856613").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/09 10:06 |
| S33 | 240 | (header adj (queue\$4 or buffer\$4 or stor\$4 or memory)) and (payload adj (queue\$4 or buffer\$4 or stor\$4 or memory)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/09 15:56 |
| S34 | 178 | S33 and @ad<="20031027" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/09 15:57 |
| S35 | 202 | BIT-LOADING | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2007/11/14 11:11 |

| S36 | 338 | assembl\$4 with header with payload | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/14 11:12 |
|-----|-----|-------------------------------------|---------------------------------------------------------|----|-----|------------------|
| S37 | 138 | S36 and queu\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/14 11:12 |
| S38 | 107 | S37 and @ad<="20031027" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/14 11:12 |